



ADDITIONAL BLK 2X35² 3P/ LINERGY DP 250A

04155

Discontinued on: Jul 17, 2022

! Discontinued

Main

| Range | Linergy |
|---------------------------------------|---|
| Range Of Product | Linergy |
| Product Or Component Type | Distribution block |
| Product Name | Linergy DP |
| Range Compatibility | Prisma Prisma P enclosure Prisma Prisma G enclosure Linergy Linergy DP distribution block |
| Accessory / Separate Part Category | Current distribution accessory |
| Ip Degree Of Protection | IPxx B |

Complementary

| • | |
|--|--|
| Mounting Support | Mounting plate |
| Installed Device | EasyPact: CVS100250 |
| | ComPact: NSX100250 |
| | ComPact: INV100250 |
| | ComPact: INS100160 |
| | ComPact: INS250 |
| Poles Description | 3P |
| [Ue] Rated Operational Voltage | 690 V AC |
| [Ui] Rated Insulation Voltage | 750 V AC |
| [Uimp] Rated Impulse Withstand Voltage | 8 kV |
| [le] Rated Operational Current | 250 A at 40 °C |
| [Icw] Rated Short-Time Withstand Current | 8.5 kA for 1 s |
| [lpk] Rated Peak Withstand Current | 30 kA |
| Connections - Terminals | Supply: direct connection120 mm² |
| | Distribution: screw terminal, 2 x 35 mm ² |
| Net Weight | 0.235 kg |

Environment

| Pollution Degree | 3 |
|---------------------------------|-------------------------------------|
| Overvoltage Category | III |
| Resistance To Incandescent Wire | 960 °C conforming to IEC 60695-2-11 |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Apr 20, 2024

| Standards | IEC 60947-7-1 IEC 61439-1, inside Prisma IEC 61439-2, inside Prisma |
|---------------------------------------|---|
| Product Certifications | ASEFA |
| Ambient Air Temperature For Operation | -2555 °C |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|-----|
| Number Of Units In Package 1 | 1 |

Contractual warranty



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

| Ø | Reach Free Of Svhc | |
|----------|----------------------------|-----|
| ② | Toxic Heavy Metal Free | |
| 9 | Mercury Free | |
| ⊘ | Rohs Exemption Information | Yes |

Certifications & Standards

| Eu Rohs Directive | Compliant EU RoHS Declaration |
|--------------------------|---|
| China Rohs Regulation | China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | Product Environmental Profile |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |